C5600/C5700



Enjoy colour. Take control.

C5600n
C5600dn
C5700n
C5700dn

	С	57	00	dn																							The second se
٠	٠	٠	۰	۰	٠	•	٠	٠	٠	٠	٠	•	٠	٠	۰	۰	٠	۰	٠	٠	•	•	•	٠	٠	٠	
٠	٠	•	٠		٠	•	•	•	٠	٠	٠	•	•	٠	٠	*	٠	٠	٠	٠	*	٠	•	•	٠	- 1	# · · · ·
٠	٠	٠	۰	٠	۰	٠	٠	٠			٠	٠	۰	٠	٠	٠	٠	۰	٠	۰	٠	٠	٠	٠	۰		1
٠	٠	۰	۰	۰	۰	•	۰	۰	٠	•	۰	•	۰	٠	۰	۰	۰	۰	٠	۰	٠	۰	٠	٠	۰	•	F# 4 ····
٠	٠	۰	۰	۰	۰	•	٠	٠	٠	•	۰	*	•	٠	۰	۰	٠	۰	•	۰		٠	*	٠	۰	•	
٠	٠	٠	۰	٠	۰	٠	٠	٠	٠	٠	٠	*	۰	٠	۰	٠	٠	۰	•	۰	٠	٠	٠	٠	۰	•	
٠	٠	٠	۰	۰	۰	٠	٠	٠	٠	٠	۰	٠	۰	٠	۰	۰	۰	۰	٠	۰	۰	٠	٠	٠	۰		
٠	۰	۰	•	۰	۰	•	٠	٠	٠	•	۰	٠	۰	۰	۰	•	۰	۰	٠	۰	٠	۰	٠	٠		1	
٠	٠	•	۰		٠	•	•	•			٠	•	٠	٠	٠		•	•	٠	•	٠	٠	•	•			





Fast, quality mono printing with controlled colour capability

Take the next step with confidence

For those at the threshold between a mono-only past and a colour-capable future. The C5600/C5700 printer combines the best of mono printing with an ability to deliver professional quality colour when needed. And whatever you print, it helps you keep control of usage and costs.

The best-in-class

As well as delivering the fastest mono print in its class, the C5600/C5700 also gives class-leading colour. So with one easy-to-use solution, you can fulfil your need for high volume, low cost, mono printing while giving a real business edge to those documents that need it. And you can do it all without losing control of costs. The cost of printing in mono is comparable to mono-only printers, and we provide inbox software, Print Control, to enable you to monitor and manage colour usage costs.

Ready for the step into colour? Need a truly professional, affordable and versatile printer? Trust OKI Printing Solutions - the business printing specialists with a proven colour heritage.




Print Control software allows administrator control and management usage



High volume, low cost, mono printing

The C5600/C5700 Colour and Mono Printers



The C5000 Series features at a glance	C5600n	C5600dn	C5700n	C5700dn						
Colour speed (A4)	20ppm	20ppm	20ppm	20ppm						
Mono speed (A4)	32ppm	32ppm	32ppm	32ppm						
Printer language	Windows/MA	AC Host Based	PCL/Po	stScript						
Print Quality	ProC	2400 Multi-level techno	level technology & High Definition Toner							
Memory	64MB	64MB	256MB	256MB						
Photo Enhance via Driver	•	•	•†	•†						
Web Print	•	•	•	•						
Auto Colour Balance	•	•	•	•						
10 / 100 Networking	•	•	•	•						
Duplex (for double-sided printing)	0	•	0	•						
40 GB Hard Disk Drive	N/A	N/A	0	0						
Second paper tray	0	0	0	0						
Cabinet	0	0	0	0						

• Standard Optional *Excludes Macintosh and PostScript drivers

For even larger colour volume needs, consider the C5800/C5900 with greater colour speed and lower colour running costs.



Outstanding quality colour on both sides with automatic duplex



Easy printing of address and CD labels and up to 1.2m banners

Fast, flexible and thoroughly efficient

- Class-leading print speeds of 32 pages per minute (ppm) mono and 20 ppm colour.
- Fast time to first print at just 8 seconds for a mono page or 11 seconds for colour.
- Enhanced performance through single-pass Digital LED technology. The straight paper path reduces paper jams and handles a diverse range of media, from business cards to 1.2m banners.
- Input capacity of up to 930 sheets reduces the need for intervention.
- Automatic duplex printing available for professional double-sided printing, enabling booklet printing, reduced paper use and space saving.

Outstanding quality print. Low running costs

- ProQ2400 Multi-level technology and High Definition Toner have been developed in unison. Together they give a higher level of detail, greater colour depth, reduced grain and a high gloss feel.
- Auto Colour Balance ensures consistent results throughout the life of the printer.
- Photo Enhance provides stunning photo-like quality on ordinary office paper.
- High capacity mono toner cartridges reduce running costs and user intervention. Mono running costs are equivalent to many mono only products.
- Low cost colour toner cartridges.

Unique in-box software lets you take control

- Print Control is a powerful network tool to manage colour usage and costs. It keeps printing logs, automatically calculates printing costs and allows you to limit colour and mono print volumes by individuals or groups.
- PrintSuperVision allows network administrators to remotely monitor all printers on their network and verify toner status.
- Template Manager 2006 helps you professionally design and print on a range of non-standard media

 and to do so with ease. It even manages the printer settings automatically. From business cards, to CD labels, address labels and banners up to 1.2 meters.
- Web Print makes printing web-pages easier. It adjusts text and images to fit on the printed page without cutting off information, saving you paper and hassle.
- Ask OKI dedicated online support, accessed easily via the printer driver.
- Plus powerful, professional colour management tools that allow you to accurately adjust and match colours.



Without Photo Enhance

With Photo Enhance

Photo Enhance. Delivering the detail on your screen to the print in your hand.

Photo Enhance is a selectable feature within the driver, which allows you to print clear, sharp, photo-like quality pictures on ordinary office paper.

Why OKI Printing Solutions?

We believe that effective printed communications are fundamental to successful businesses. That's why we focus purely on understanding their diverse printing requirements. Through our considerable technological resources we develop fast, high quality, cost-effective printing solutions that will benefit businesses today and long into the future.

It is the same progressive spirit that drove Kibataro Oki to found Oki Electric in 1881, and which helped his company to become the global, multi-billion euro business that it is today. A business whose people share one single-minded purpose: helping other businesses grow and prosper by enabling them to create the best possible impression with their printed communications. We led the way in making in-house colour printing fast and affordable. Now OKI Printing Solutions lead the way in making it easy. This means more than providing unique technologies and in-built functions like fast, single-pass colour, double-sided printing, and banner printing: it means making those functions as easy to use as possible – first time, every time. We call this **Chromability™ – in-house colour made easy, only from OKI Printing Solutions**. In short, it's about getting the most from your investment.

Our colour-coded segments are designed to help you save time. When you want to add another printing solution to your business, or check out the latest advances in technology on our website, simply use the colour guide below.

۰		٠		٠	•	۰	٠	٠	۰	0	٠		۰	۰	٠	٠	٠	٠	٠	۰	٠	٠	٠	٠	۰	٠	٠		٠	٠
٠	٠	٠	•	•	٠	٠			٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	•
٠	٠	٠	٠		۰	٠	٠	٠	۰	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	۰	٠	٠	٠	٠	٠	٠	٠	٠	٠	۰
٠	٠	٠		٠	۰	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	•	٠	٠	٠	٠	٠	٠
٠	٠	٠	•	•	٠	٠	٠	٠	•	٠	٠	٠	٠	٠	•	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	٠	٠	٠	•	٠
٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	•	٠
٠	٠	۰	٠	۰	۰	۰	٠	٠	۰	۰	٠	٠	۰	٠	٠	٠	٠	٠	٠	۰	٠	٠	٠	٠	٠	٠	٠	۰	٠	٠
۰	٠	۰	٠	۰	•	۰	۰	۰	۰	۰	٠	۰	۰	۰	٠	٠	٠	٠	٠	۰	٠	٠	٠	٠	۰	٠	•	٠	٠	۰
٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠



The C5600/C5700 Colour and Mono Printers

		C5600n	C5600dn	C5700n	C5700dn								
Order number		01181301	01181401	01181501	01181601								
Speed & throughput	A4 Print speed	20ppm colour 32ppm mono											
	Time to first print			ds mono									
		11 seconds colour up to 60 seconds from power on & up to 45 from power save											
	Warm up time			· · ·									
	Processor speed	200MHz 500MHz											
Print quality	Resolution	ProQ2400 Multi-level technology											
		1200 x 600dpi Photo Enhance via Driver Photo Enhance via Driver Photo Enhance via Driver											
	Enhancements			Photo Enhance via Driver (excludes									
Typefaces	Printer fonts		//A	Line Printer, OCR-A	; 136 PostScript Fonts; ,B; USPS Bar Codes								
Compatibility	Printer languages	Windows/MAC Host F	Based Printing System	SIDM (IBM-PI	ic, PostScript 3 (clone). PR, EPSON-FX)								
	Connectivity	Hi-Speed USB & 10/100-TX Ethernet											
	OS Compatibility	Windows 98 / ME / NT4.0 / 2000 / XP Home / XP Professional / XP Professional x64 / Server 2003 / Server 2003 for x64 / Mac OS 9.0 or greater / Mac OS X PowerPC 10.2 or greater / Mac OS X Intel 10.4.4 or greater *1											
	Utilities	(Windows only), Swatch Uti (Windows only), Web Driver Ins (Windows only), Print Cont	ws Only), PrintSuperVision.net lity, Template Manager 2006 taller (Windows only), Web Print trol Server (Windows Only), trol Client	(Windows only), Swatch Utility, Tem Web Driver Installer (Windows onl Control Server (Windows Only), P	ows only), PrintSuperVision.net plate Manager 2006 (Windows only), y), Web Print (Windows only), Print rint Control Client, Storage Device umma Utility, Profile Assistant								
Memory	Std RAM	64	MB	256	5MB								
	Max RAM	320	OMB	768MB									
	Hard Disk Drive	N	/ A	Optional 40GB									
Paper handling	Paper capacity tray 1	300 sheets of 80gsm. Paper sizes: A4, A5, B5, A6 530 sheets of 80gsm. Paper sizes: A4, A5, B5											
	Paper capacity optional 2nd tray		-										
	Paper capacity of			, 10 Envelopes (Com-9, Com-10, DL,									
	Multi-purpose tray	Labels (Avery 71		1200mm length including Banner), !	50 transparencies								
	Standard tray media weight Optional 2nd tray		04-1.	20gsm									
	media weight		64-1	76gsm									
	Multi-purpose tray paper weight		1	03gsm	1								
	Duplex	Optional	Standard	Optional	Standard								
	Duplex paper sizes	Supported paper sizes: A4, A5, B5. Supports Custom Size: Width 148–215.9mm Length 210–355.6mm											
	Duplex paper weight			05gsm									
0	Paper output	250 sheets face down, 100 sheets face up, 80gsm											
Operating conditions	Temperature/Humidity	10°C – 32°C (17°C – 27°C recommended) / 20% to 80% RH (50% to 70% RH recommended) -10°C – 43°C, 10% to 90% RH											
Devues as aviante	Storage	Single phase 220–240VAC, frequency 50Hz +/-2%											
Power requirements	Power supply Power consumption	Typical 490W, Peak 1200W, Idle 100W (average)											
	r ower consumption	Power Sa	ave / 17W										
Noise level			erating: Up to 55.6 dB(A), Standby:	Power Save < 17W									
Dimensions (HxWxD)		339.5mm x 400mm	339.5mm x 400mm	339.5mm x 400mm	339.5mm x 400mm								
		(max point 435mm) x 528mm (max point 563.5mm)	(max point 435mm) x 621mm	(max point 435mm) x 528mm (max point 563.5mm)	(max point 435mm) x 621mm								
Weight			approx 26kgs (inclu	des all consumables)									
Duty cycle	Printer duty (max)		60,000 pa	ges/month									
	Printer duty (average)	1,500 – 5,000 pages/month											
Warranty			Pan European	1 year on-site	year on-site								
Accessories	Duplex	Optional (43347502)	Standard	Optional (43347502) Standard									
	Memory	64MB (01110301) o	r 256MB (01110302)	256MB (01182901) or 512MB (01182902)									
	2nd Tray	Optional (43347602)											
	Hard Disk Drive	N/A Optional (01184501)											
	Cabinet		Optional (09004436)									

 $^{\star 1}$ Check local OKI Printing Solutions website for driver release information

Consumables Information: For the protection of your printer, and in order to ensure that you benefit from its full functionality, this model has been designed to operate only with genuine Oki toner cartridges. These can be identified by the Oki trademark. Any other toner cartridge may not operate at all, even if it is described as "compatible", and if it does work, your printer's performance and print quality may be degraded. Specification subject to change without notice. All trademarks acknowledged.

Description	Life* (pages)		Order	Numbers							
Black toner	6,000	43324408									
Colour toners	2,000	Cyan: 43381907	Magenta	: 43381906	Yellow: 43381905						
Image drum	20,000										
	A4 pages @ 3 pages/job	Black: 43381708	Cyan: 43381707	Magenta: 43381706	Yellow: 43381705						
Transfer Belt	60,000										
	A4 pages @ 3 pages/job	43363402									
Fuser Unit	60,000 @ A4		43	363203							

OKI EUROPE LTD.

Central House, Balfour Road Hounslow, Middlesex TW3 1HY United Kingdom T +44(0) 20 8219 2190 F +44(0) 20 8219 2199 WWW.OKIPRINTINGSOLUTIONS.COM

PRINTING SOLUTIONS

* All toners: A4 pages @ 5%, Printer shipped with 2250 pages @ 5%. All Drums: A4 pages average life

